H Fall Arrest Devices

These devices have been manufactured, tested and certified in Germany to conform to the European Standard DIN EN 360, as a Retractable Type Fall Arrest Device.

The IKAR H Devices have been specifically developed to offer fall protection in an easy to use unit.

Working similar to a car safety belt, during normal use the user can move freely whilst the webbing life-line is kept under permanent tension. In the event of a fall the locking system will activate and the internal brake disk will absorb energy to well below the 6kN limit required by the DIN EN 360 standard.

These low maintenance devices have a hard wearing, shockproof aluminium housing and offer low weight for the length of the life-line supplied. The units have a small double action hook on the end of the life-line to prevent the life-line from twisting.

IKAR H Devices have been subjected to additional testing for horizontal use and can therefore be used where the user could potentially fall over a leading edge.

Product features:

- Easy to use, low-maintenance design
- Load carrying capacity
 - 1 person, 136kg max
- Various cable lengths available
- Shockproof aluminium housing
- Single handed, double action hook to connect to the users harness
- Swivel function to eliminate cable twisting
- Large carrying and attachment handle
- World renowned German build quality

Suggested accessories:

- 41-Z10 large attachment karabiner
- IK-AS steel cable anchor sling, in conjunction with
- SK00 small attachment karabiner
- IK1B50R webbing attachment lanyard for easy connection to the harness rear attachment point

IKAR GB order codes:

H12	12.0m galvanised steel cable life-line – weight = 5.9kg
H18	18.0m galvanised steel cable life-line – weight = 9.5kg
H24	24.0m galvanised steel cable life-line – weight = 13.5kg
H33	33.0m galvanised steel cable life-line – weight = 18kg
H42	42.0m galvanised steel cable life-line – weight = 27.2kg

Other lengths available to special order

IKAR GB Limited